

## **APPENDIX C**

### **PLANS AND EXHIBITS**

- C1. Preliminary Site Plan
  - C2. Preliminary Grading Plan
  - C3. Preliminary Utility Plan
  - C4. Preliminary Hydrology Plan
  - L1. Preliminary Landscape Plans
  - L2. Preliminary Plant Legend, Parking Lot Shade Calculations, and Notes
  - A5. Exterior Renderings
  - A6. Street View Rendering
  - A7. Materials Board
  - A8. Fuel Canopy Elevations
  - A9. Fuel Canopy Elevations – Fleet
-





POWER INN ROAD

ELDER CREEK ROAD

**LEGEND**

- EG EXISTING GROUND
  - FF FINISH FLOOR
  - FS FINISH SURFACE
  - FL FLOWLINE
  - TC TOP OF CURB
  - EXISTING FIRE HYDRANT
  - EXISTING GRATED INLET (GI)
  - EXISTING LIGHT
  - EXISTING SEWER & STORM DRAIN MANHOLE
  - EXISTING SIGN POLE
  - EXISTING TELEPHONE PULL BOX
  - EXISTING UTILITY VAULT
  - EXISTING WATER METER
  - EXISTING WATER VALVE
  - PROPOSED BACKFLOW PREVENTER
  - PROPOSED CATCH BASIN
  - PROPOSED SANITARY SEWER CLEANOUT
  - PROPOSED SANITARY SEWER MANHOLE
  - PROPOSED STORM DRAIN MANHOLE
  - PROPOSED WATER METER
  - EXISTING ELEVATION
  - PROPOSED ELEVATION
  - DRAINAGE ARROWS
- (00) --- (00) --- EXISTING CONTOUR LINE
  - --- EXISTING FENCE LINE
  - --- EXISTING OVER HEAD LINES
  - --- CENTER LINE
  - --- EASEMENT LINE
  - --- PROPERTY LINE
  - --- ASSUMED DEDICATION LINE
  - X X --- SECURED FENCE
  - 00 --- PROPOSED CONTOUR LINE
  - SD --- PROPOSED STORM DRAIN LINE
  - PROPOSED STANDARD DUTY ASPHALT PAVING
  - PROPOSED STANDARD DUTY CONCRETE PAVING
  - PROPOSED HEAVY DUTY CONCRETE PAVING
  - PROPOSED CONCRETE SIDEWALK
  - PROPOSED TANK SLAB
  - PROPOSED LANDSCAPE AREA
  - PROPOSED DETENTION POND



Rev. #	Date	Description

<b>7-ELEVEN, INC.</b> 3200 HACKBERRY ROAD, IRVING, TEXAS 75063 <b>7-11 #SE1377</b>	APN 04-0101-012 & 13 POWER INN & ELDER CREEK, SACRAMENTO, CA 95628 <b>GRADING PLAN</b>
--	--


 TAIT Since 1944	11280 Trade Center Drive Rancho Corcoran, CA 95742 P: 916/435/2444 F: 916/435/2406 www.tait.com Bala, Ontario, California Los Angeles, Sacramento, Denver
------------------------	---

Job#:	SE1377	Scale:	1"=40'-0"	Checked By:	LC
Date:	07/02/2025	Drawn By:	JMP		


  

THESE DRAWINGS AND SPECIFICATIONS ARE INSTRUMENTS OF THE SERVICE AND SHALL BE THE PROPERTY OF TAIT & ASSOCIATES. NO PART OF THIS PROJECT FOR WHICH THEY ARE MADE IS TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN CONSENT OF THE ARCHITECT AND/OR 7-ELEVEN, INC. Copyright 2017
---



### LEGEND

(E)	EXISTING	---	CENTER LINE
INV	INVERT ELEVATION	- - - - -	EASEMENT LINE
(P)	PROPOSED	---	PROPERTY LINE
RIM	RIM ELEVATION	- - - - -	ASSUMED DEDICATION LINE
⊕	EXISTING FIRE HYDRANT	X - X	SECURED FENCE
□	EXISTING GRATED INLET (GI)	---	PROPOSED GAS LINE
*	EXISTING LIGHT	---	PROPOSED ELECTRIC LINES
⊕	EXISTING SEWER & STORM DRAIN MANHOLE	---	PROPOSED WATER LINES
⊕	EXISTING SIGN POLE	---	PROPOSED SEWER LINES
TPB	EXISTING TELEPHONE PULL BOX	---	PROPOSED STORM DRAIN LINES
⊕	EXISTING UTILITY VAULT	---	PROPOSED STANDARD DUTY ASPHALT PAVING
WM	EXISTING WATER METER	---	PROPOSED STANDARD DUTY CONCRETE PAVING
⊕	EXISTING WATER VALVE	---	PROPOSED HEAVY DUTY CONCRETE PAVING
⊕	PROPOSED BACKFLOW PREVENTER	---	PROPOSED CONCRETE SIDEWALK
⊕	PROPOSED CATCH BASIN	---	PROPOSED TANK SLAB
⊕	PROPOSED SANITARY SEWER CLEANOUT	---	PROPOSED LANDSCAPE AREA
⊕	PROPOSED SANITARY SEWER MANHOLE	---	PROPOSED DETENTION POND
⊕	PROPOSED STORM DRAIN MANHOLE		
⊕	PROPOSED WATER METER		
---	EXISTING FENCE LINE		
---	EXISTING GAS LINES		
---	EXISTING OVER HEAD LINES		
---	EXISTING SEWER LINES		
---	EXISTING STORM DRAIN LINES		
---	EXISTING WATER LINES		



Rev. #	Date	Description

<b>7-ELEVEN, INC.</b> 3200 HACKBERRY ROAD, IRVING, TEXAS 75063 <b>7-11 #SE1377</b>	<b>UTILITY PLAN</b> APN 04-0101-012 & 13 POWER INN & ELDER CREEK, SACRAMENTO, CA 95828
--	--


11280 Trade Center Drive Rancho Corovos, CA 95742 P: 916/635/2444 F: 916/635/2606 www.7-eleven.com	 Since 1944 <b>TAIT &amp; ASSOCIATES</b>	11280 Trade Center Drive Rancho Corovos, CA 95742 P: 916/635/2444 F: 916/635/2606 www.7-eleven.com Los Angeles Chicago Denver Sacramento Since 1944 © TAIT & ASSOCIATES 2016 ALL RIGHTS RESERVED
--	--	--

Job#:	SE1377	Scale:	1"=40'-0"	Date:	07/02/2025
Drawn By:	JMP	Checked By:	LC		

THESE DRAWINGS AND SPECIFICATIONS ARE INSTRUMENTS OF THE SERVICE AND SHALL BE THE PROPERTY OF TAIT & ASSOCIATES. NO PART OF THESE DRAWINGS OR SPECIFICATIONS SHALL BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN CONSENT OF THE ARCHITECT AND/OR 7-ELEVEN, INC. Copyright 2017



### LEGEND


EG	EXISTING GROUND	(00)	EXISTING CONTOUR LINE
FF	FINISH FLOOR	---	EXISTING FENCE LINE
FS	FINISH SURFACE	---	EXISTING OVER HEAD LINES
FL	FLOWLINE	---	CENTER LINE
TC	TOP OF CURB	---	EASEMENT LINE
	EXISTING FIRE HYDRANT	---	PROPERTY LINE
	EXISTING GRATED INLET (GI)	---	ASSUMED DEDICATION LINE
*	EXISTING LIGHT	X-X	SECURED FENCE
(M)	EXISTING SEWER & STORM DRAIN MANHOLE	---	PROPOSED CONTOUR LINE
	EXISTING SIGN POLE	---	PROPOSED STORM DRAIN LINE
TPB	EXISTING TELEPHONE PULL BOX		PROPOSED STANDARD DUTY ASPHALT PAVING
V	EXISTING UTILITY VAULT		PROPOSED STANDARD DUTY CONCRETE PAVING
WM	EXISTING WATER METER		PROPOSED HEAVY DUTY CONCRETE PAVING
	EXISTING WATER VALVE		PROPOSED CONCRETE SIDEWALK
	PROPOSED BACKFLOW PREVENTER		PROPOSED TANK SLAB
	PROPOSED CATCH BASIN		PROPOSED LANDSCAPE AREA
	PROPOSED SANITARY SEWER CLEANOUT		PROPOSED DETENTION POND
	PROPOSED SANITARY SEWER MANHOLE		
	PROPOSED STORM DRAIN MANHOLE		
	PROPOSED WATER METER		
	DRAINAGE ARROWS		

POWER INN ROAD

ELDER CREEK ROAD

Rev #	Date	Description

7-ELEVEN, INC.  
3200 HACKBERRY ROAD, IRVING, TEXAS 75063  
7-11 #SE1377  
APN 04-0101-012 & 13  
POWER INN & ELDER CREEK, SACRAMENTO, CA 95628  
HYDROLOGY EXHIBIT








11280 Trade Center Drive  
Rancho Corovos, CA 95742  
p: 916/635/2444  
f: 916/635/2606  
www.tait.com

**TAIT**  
Since 1944

Los Angeles  
Chicago  
Sacramento  
Denver

© TAIT & ASSOCIATES 2016 ALL RIGHTS RESERVED

EXISTING HYDROGRAPH      PROPOSED HYDROGRAPH



PRINTED BY: OPERATA  
DRAWING NAME: SE1377\_HYD.DWG  
PRINT DATE: Mar 18, 2026 - 9:46am

Job#:	SE1377	Scale:	1"=40'-0"	Date:	07/02/2025	Drawn By:	JMP	Checked By:	LC
<p>THESE DRAWINGS AND SPECIFICATIONS ARE INSTRUMENTS OF THE SERVICE AND SHALL BE USED ONLY FOR THE PROJECT AND SITE INDICATED THEREON. NO PART OF THESE DRAWINGS OR SPECIFICATIONS SHALL BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT THE WRITTEN CONSENT OF THE ARCHITECT AND/OR 7-ELEVEN, INC. Copyright 2017</p>									
SHEET: <b>C4</b>									



(PER CITY OF SACRAMENTO PARKING LOT TREE SHADING DESIGN AND MAINTENANCE GUIDELINES)

<b>25%</b>	25% SHADE VALUE, TYPICALLY IN CORNERS OR AT EDGES	<b>75%</b>	75% SHADE VALUE, TYPICALLY AT INTERNAL ISLANDS
<b>50%</b>	50% SHADE VALUE, TYP. AT PARKING LOT EDGES	<b>100%</b>	100% SHADE VALUE, TYPICALLY AT INTERNAL ISLANDS

BOUNDARY OF PAVED AREA TO BE SHADED:  
INCLUDES PARKING STALLS AND BACKUP AREAS

<b>Parking Lot Shade Calculations</b>		Project: 25046			
TAIT 7-Eleven #SE1377 Power Inn & Elder Creek		Date: 3/5/2026			
<b>Qty. 35' Diameter Trees</b> sub total of shade at 962 sf for 100% canopy	25% 1	50% 18	75% 7	100% 9	Total 35
<b>Qty. 30' Diameter Trees</b> sub total of shade at 706 sf for 100% canopy	240	8658	5054	8658	22,610
<b>Qty. 25' Diameter Trees</b> sub total of shade at 491sf for 100% canopy	0	0	0	0	-
<b>Qty. 20' Diameter Trees</b> sub total of shade at 314sf for 100% canopy	4	16	2	1	23
	316	2512	472	314	3,614
	Total Shade Provided				26,224
	Shade Credit Proposed				3,842
	Total Parking Area				57,776
	Percent Shaded				62%

\* REFER TO CALCULATIONS BELOW FOR SHADE CREDIT PROPOSED DUE TO POWERLINE RESTRICTIONS



**POTENTIAL SHADE:**  
35' DIA. TREES, IF OVERHEAD UTILITIES LINES DO NOT OCCUR

<b>Qty. 35' Diameter Trees</b> sub total of shade at 962 sf for 100% canopy	25% 1	50% 10	75% 2	100% 1	Total 14
	240	4810	1444	962	7,456

**ALLOWABLE SHADE:**  
20' DIA. TREES, UNDER THE OVERHEAD UTILITIES LINES

<b>Qty. 20' Diameter Trees</b> sub total of shade at 314sf for 100% canopy	25% 4	50% 16	75% 2	100% 1	Total 23
	316	2512	472	314	3,614

**SHADE CREDIT PROPOSED (DUE TO POWERLINE RESTRICTIONS):**  
7,456 SF - 3,614 SF = 3,842 SF



**1 OVERHEAD POWER LINE AND TREE CLEARANCE**

**PRELIMINARY PLANT LEGEND**

Symbol	Description	Size	Water Use
	PARKING LOT SHADE TREE TREES TO PROVIDE SHADE IN PARKING LOT. 35' DIA. PER CITY OF SACRAMENTO PARKING LOT TREE SHADING DESIGN AND MAINTENANCE MANUAL.	15 GAL., M	
	QUERCUS COCCINEA / SCARLET OAK	15 GAL., L	
	QUERCUS LOBATA / VALLEY OAK	15 GAL., M	
	QUERCUS RUBRA / NORTHERN RED OAK	15 GAL., M	
	QUERCUS VIRGINIANA / SOUTHERN LIVE OAK	15 GAL., M	
	QUERCUS WISLIZENI / INTERIOR LIVE OAK	15 GAL., VL	
	ACCENT TREE TYPICALLY SMALLER SIZED TREES SELECTED FOR UNIQUE FOLIAGE, FLOWER, OR FALL COLOR. 20' DIA. PER CITY OF SACRAMENTO PARKING LOT TREE SHADING DESIGN AND MAINTENANCE MANUAL.	15 GAL., L	
	CERCIS CANADENSIS 'OKLAHOMA' / OKLAHOMA REDBUD	15 GAL., M	
	CHIONANTHUS RETUSUS / CHINESE FRINGE TREE	15 GAL., L	
	OLEA EUROPAEA 'SWAN HILL' TM / SWAN HILL OLIVE	15 GAL., L	
	EVERGREEN TREES CEDRUS DEODARA / DEODAR CEDAR	15 GAL., L	
	PINUS CANARIENSIS / CANARY ISLAND PINE	15 GAL., L	
	PINUS ELDARICA / AFGHAN PINE	15 GAL., L	
	QUERCUS WISLIZENI / INTERIOR LIVE OAK	15 GAL., VL	
	STREET TREE SINGLE SPECIES AT EACH STREET SELECTED FOR SHADE AND MODERATE CANOPY GROWTH	15 GAL., M	
	NYSSA SYLVATICA / SOUR GUM	15 GAL., M	
	PISTACIA CHINENSIS 'KEITH DAVEY' / KEITH DAVEY CHINESE PISTACHE	15 GAL., L	
	QUERCUS DOUGLASSII / BLUE OAK	15 GAL., L	
	QUERCUS LOBATA / VALLEY OAK	15 GAL., L	
	QUERCUS VIRGINIANA / SOUTHERN LIVE OAK	15 GAL., M	
	ULMUS PARVIFOLIA 'DRAKE' / DRAKE ELM	15 GAL., M	
	ZELKOVA SERRATA 'GREEN VASE' / GREEN VASE JAPANESE ZELKOVA	15 GAL., M	
	SECONDARY TREE ARBUTUS X 'MARINA' / ARBUTUS STANDARD	15 GAL., M	
	ELAEAGARIS DECIPENS / JAPANESE BLUEBERRY TREE	15 GAL., M	
	LAURUS NOBILIS / SWEET BAY	15 GAL., L	
	MID-GROUND SHRUBS MID-GROUND SHRUBS SELECTED FOR INTEREST AND COLOR. PREDOMINATELY LOW WATER USE.	5 GAL., M	
	CAMELLIA SASANQUA 'SHISHI GASHIRA' / SHISHI GASHIRA CAMELLIA	5 GAL., L	
	ILEX CRENATA 'STOKES' / JAPANESE HOLLY	5 GAL., M	
	PRUNUS LAUROCERASUS 'OTTO LUYKEN' / LUYKENS LAUREL	5 GAL., L	
	PUNICA GRANATUM 'NANA' / DWARF POMEGRANATE	5 GAL., L	
	RHAPHIOLEPIS INDICA 'PINK DANCER' / INDIAN HAWTHORNE	5 GAL., L	
	SPIRAEA X B. 'ANTHONY WATERER' / ANTHONY WATERER SPIRAEA	5 GAL., M	
	VIBURNUM TINUS 'SPRING BOUQUET' / SPRING BOUQUET LAURESTINUS	5 GAL., M	
	ACCENT SHRUBS DIANELLA REVOLUTA 'BIG REV' / DIANELLA	1 GAL., L	
	DIETES IRIDIODES / FORTNIGHT LILY	1 GAL., L	
	HEMEROCALLIS X 'STELLA SUPREME' / STELLA SUPREME DAYLILY	1 GAL., M	
	PHORMIUM T. 'MAORI MAIDEN' / TRICOLOR NEW ZEALAND FLAX	1 GAL., M	
	TULBAGHIA VIOLACEA / SOCIETY GARLIC	1 GAL., L	
	YUCCA FILAMENTOSA 'COLOR GUARD' / ADAM'S NEEDLE	1 GAL., L	
	HEDGE/BORDER SHRUBS EVERGREEN, HARDY SHRUBS DESIGNED TO SEPARATE AREAS, SCREEN DRIVE AISLES AND PARKING, AND PROVIDE VISUAL CUES TO SITE ORGANIZATION.	5 GAL., L	
	OLEA EUROPAEA 'LITTLE OLLIE' TM / LITTLE OLLIE OLIVE	5 GAL., L	
	RHAPHIOLEPIS SP. / INDIAN HAWTHORN	5 GAL., M	
	VIBURNUM TINUS 'COMPACTUM' / VIBURNUM	5 GAL., M	
	XYLOSMA CONGESTUM 'COMPACTA' / COMPACT XYLOSMA	5 GAL., L	
	SHRUBS AND GROUNDCOVER MEDIUM TO LOW SHRUBS, WITH GROUNDCOVERS (SEE BELOW) IN LARGER AREAS.	1 GAL., L	
	CALLISTEMON VIMINALIS 'BETTER JOHN' / DWARF WEEPING BOTTLE BRUSH	1 GAL., L	
	CISTUS PULVERULENTUS 'SUNSET' / ROCKROSE	1 GAL., L	
	COTONEASTER DAMMERI 'LOWFAST' / BEARBERRY COTONEASTER	1 GAL., L	
	DIETES VEGETA / AFRICAN IRIS	1 GAL., L	
	ESCALLONIA FRADESII / ESCALLONIA	1 GAL., M	
	GREVILLEA X 'NOELLI' / GREVILLEA	1 GAL., L	
	JUNIPERUS COMPERTA 'COMPACTA' / SHORE JUNIPER	1 GAL., L	
	RHAPHIOLEPIS UMBELLATA 'MINOR' / YEDDA HAWTHORN	1 GAL., L	
	NATIVE AND ADAPTED PLANTING LOW WATER USE GROUNDCOVER AND NATIVE BUNCHGRASS	1 GAL., L	
	ACHILLEA MILLEFOLIUM / COMMON YARROW	1 GAL., L	
	ARCTOSTAPHYLOS X 'EMERALD CARPET' / EMERALD CARPET MANZANITA	1 GAL., L	
	FESTUCA MAIREI 'GREENLEE'S FORM' / GREENLEE ATLAS FESCUE	1 GAL., L	
	MUHLENBERGIA RIGENS / DEER GRASS	1 GAL., L	
	WESTRINGIA FRUTICOSA MUNDI / LOW COAST ROSEMARY	1 GAL., L	
	ACACIA REDOLENS 'LOWBOY' / BANK CATCLAW	1 GAL., L	
	MUHLENBERGIA DUBIA / PINE MUHLY	1 GAL., L	
	ACCENT/ENTRY PLANTING THEMED PLANTING, EVERGREEN AND FLOWERING SHRUBS AND GROUNDCOVERS WITH INCREASED DENSITY AT FOCAL AREAS.	1 GAL., M	
	COLEONEMA PULCHRUM / PINK BREATH OF HEAVEN	1 GAL., M	
	HEMEROCALLIS X VARS / STELLA SUPREME DAYLILY	1 GAL., L	
	LAVANDULA X INTERMEDIA VARS / LAVENDER	1 GAL., L	
	LOROPETALUM CHINESE VARS. / GREEN LOROPETALUM	1 GAL., M	
	GROUNDCOVER SPREADING EVERGREEN PLANTS, MEDIUM AND LOW WATER USE. PRIMARILY SELECTED FOR HARDINESS, SOME FLOWERING. USED AS FOREGROUND FOR MIXED PLANTING.	1 GAL., M	40" o.c.
	COPROSMA KIRKII / CREEPING MIRROR PLANT	1 GAL., L	54" o.c.
	JUNIPERUS HORIZONTALIS VARS. / CREEPING JUNIPER	1 GAL., L	54" o.c.
	MYOPORUM PARVIFOLIUM / TRAILING MYOPORUM	2 GAL., M	30" o.c.
	ROSA X 'FLOWER CARPET CORAL' / ROSE	1 GAL., L	48" o.c.
	ROSMARINUS OFF. 'HUNTINGTON CARPET' / H. CARPET ROSEMARY	1 GAL., M	30" o.c.
	TRACHELOSPERMUM JASMINOIDES / STAR JASMINE	1 GAL., L	36" o.c.
	WESTRINGIA FRUTICOSA 'NFL25' / MUNDI™ COAST ROSEMARY	1 GAL., L	36" o.c.
	BIORETENTION SOD AS AVAILABLE THROUGH DELTA BLUEGRASS		

**PRELIMINARY PLANTING NOTES**

- PLANT CONCEPT: WITHIN THE LANDSCAPE, PLANT TYPES EMPHASIZE FLOWERING SPECIES, TEXTURAL INTEREST, AND DURABILITY, COMBINED WITH STRIKING SEASONAL AND YEAR-ROUND LEAF COLOR, PLANTING SELECTIONS PROVIDE A DIVERSE RANGE OF COLOR AND TEXTURE. PLANTS WILL ALSO BE DROUGHT-TOLERANT AND CLIMATE ADAPTIVE PLANTS THAT THRIVE IN SACRAMENTO COUNTY. SCREENING PLANTS AT LEAST 3' IN HEIGHT SHALL BE USED TO ENHANCE, SOFTEN, AND VISUALLY SCREEN LOADING AND PARKING AREAS, TRASH ENCLOSURES, AND MECHANICAL EQUIPMENT.
- MULCH: A THREE INCH LAYER OF MULCH SHALL BE APPLIED ON ALL EXPOSED SOIL SURFACES OF PLANTING AREAS EXCEPT WHERE CREEPING OR ROOTING GROUND COVERS OCCUR.
- IRRIGATION: ALL LANDSCAPE SHALL BE SERVED BY AN AUTOMATIC IRRIGATION SYSTEM. IN-LINE AND POINT-SOURCE DRIP EMITTERS WILL BE USED TO IRRIGATE SHRUBS AND GROUNDCOVER. MATCHED-PRECIPITATION ROTATORS WILL BE USED FOR TURF, AND ROOT WATERERS OR TREE RINGS WILL IRRIGATE TREES. IRRIGATION CONTROLLERS WILL INCLUDE WEATHER SENSORS, AND BE "SMART" (SELF-ADJUSTING).
- PLANT QUANTITIES: QUANTITIES ARE NOT EXACT: PLANS ARE PRELIMINARY AND PLANTING (SHRUBS, GROUNDCOVER, ETC) IS SHOWN GRAPHICALLY.
- LANDSCAPE AREA: TOTAL SQUARE FOOTAGE OF LANDSCAPE PROPOSED IS 100,296 SF (EXCL. 3,751 SF OF LANDSCAPE IN PARKWAY STRIP).
- SLOPES: SITE DOES NOT CONTAIN NOTABLE GRADE CHANGE AND NO GRADES OVER 5% ARE ANTICIPATED WITHIN LANDSCAPE AREAS.
- ROOT CONTROL BARRIERS: ROOT CONTROL BARRIERS WILL BE PROVIDED WHERE TREES ARE WITHIN 6 FEET OF THE PAVING OR CURB (HARDSCAPE) ALONG THE FACE OF HARDSCAPE. PANELS SHALL BE MINIMUM 24" DEEP. FROM CENTERLINE OF TREE, EXTEND PANELS EXTEND 10' IN EACH DIRECTION AT EDGE OF HARDSCAPE.
- MAINTENANCE: ALL LANDSCAPE AND IRRIGATION SHALL BE MAINTAINED FOR THE LIFE SPAN OF THE PROJECT AND IN SUCH A MANNER TO NOT CAUSE HIDING PLACES OR HINDER VISIBILITY.

**IRRIGATION DESIGN STATEMENT**

IRRIGATION SYSTEM WILL CONFORM TO CITY OF SACRAMENTO CODE 15.92 WATER EFFICIENT LANDSCAPE REQUIREMENTS. IRRIGATION SYSTEM INCLUDES A SEPARATE IRRIGATION CONNECTION, WATER METER, AND REDUCED-PRESSURE PRINCIPLE BACKFLOW PREVENTER (1"). CONTROLLER WILL BE "SMART" WITH SELF-ADJUSTING PROGRAMS BASED ON LOCAL WEATHER CONDITIONS. A EVAPOTRANSPIRATION/WEATHER SENSOR, RAIN SENSOR, FLOW SENSOR, AND MASTER VALVE WILL BE INSTALLED. HYDROZONES WILL BE BASED ON EXPOSURE, PLANT WATER REQUIREMENTS AND EMISSION TYPE. IRRIGATION EMISSION SYSTEM WILL GENERALLY CONSIST OF:

- POP-UP HEADS WITH MULTI-STREAM, MULTI-TRAJECTORY ROTATING NOZZLES FOR SHRUB AND GROUND COVER AREAS GREATER THAN 10' WIDE. SET BACK 2' FROM HARDSCAPE, AND;
- INLINE DRIP IRRIGATION FOR SHRUB AND GROUNDCOVER AREAS LESS THAN 10' IN SIZE.
- IRRIGATION AS REQUIRED TO ESTABLISH HYDROSEEDED GRASSES AT DETENTION BASIN

\*NOTE: COMMON AREA LANDSCAPING SHALL HAVE A SEPARATE STREET TAP FOR A METERED IRRIGATION SERVICE.

7-ELEVEN, INC. 3200 HACKBERRY ROAD, IRVING, TEXAS 75063		SE1377 AS NOTED	
7-11 #SE1377 APN 04-0101-012 & 13 POWER INN & ELDER CREEK, SACRAMENTO, CA 95828		3/16/2026	
PLANT LEGEND AND NOTES		Drawn By: SL	Checked By: DWC
947 Enterprise Drive Loft B Sacramento, California 95825 916.827.4020 4409 crla 5044		THESE DRAWINGS AND SPECIFICATIONS ARE INSTRUMENTS OF THE SERVICE AND SHALL REMAIN THE PROPERTY OF ROACH & CAMPBELL. NO PART OF THESE DRAWINGS OR SPECIFICATIONS SHALL BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT THE WRITTEN CONSENT OF THE ARCHITECT AND/OR 7-ELEVEN, INC. Copyright 2017.	
		SHEET: L2	



**EXTERIOR RENDERINGS - NORTH ELEVATION**



**EXTERIOR RENDERINGS - WEST ELEVATION**



**EXTERIOR RENDERINGS - SOUTH ELEVATION**



**EXTERIOR RENDERINGS - EAST ELEVATION**

# 7 ELEVEN

POWER INN & ELDER  
CREEK RD.  
SACRAMENTO, CA.

PLANNING ■■■  
ARCHITECTURE ■■■

**api**


ARCHITECTURE PLUS INC.  
4335-B NORTH STAR WAY  
MODESTO, CA 95356

ph. 209.577.4661  
fx. 209.577.0213

www.apiarc.com

SHEET:

**A5**  
OF 8



**STREET VIEW RENDERING - VIEWED FROM POWER INN AND ELDER CREEK RD**

## 7 ELEVEN

**POWER INN & ELDER  
CREEK RD.  
SACRAMENTO, CA.**

PLANNING ■■■  
ARCHITECTURE ■■■

**api**

ARCHITECTURE PLUS INC.  
4335-B NORTH STAR WAY  
MODESTO, CA 95356

ph. 209.577.4661  
fx. 209.577.0213

www.apiarc.com

SHEET:

**A6**  
OF 8



# 7 ELEVEN

POWER INN & ELDER  
CREEK RD.  
SACRAMENTO, CA.

PLANNING ■■■  
ARCHITECTURE ■■■

**api**

ARCHITECTURE PLUS INC.  
4335-B NORTH STAR WAY  
MODESTO, CA 95356

ph. 209.577.4661  
fx. 209.577.0213

www.apiarc.com

SHEET:

**A7**  
OF 8

	Nichiha Vintage Wood - Cedar		Dryvit EIFS – Dover Sky 104		Pac-Clad – Burnished Slate		Bollards and Trim: Sherwin Williams – Tricorn Black 6258		Electrical Doors: Sherwin Williams – Versatile Gray 6072
--	---------------------------------	--	--------------------------------	--	-------------------------------	--	--	--	--

**MATERIALS BOARD**



